ARRA - PG April 1999

ARIZONA RADIATION REGULATORY AGENCY APPLICATION FOR RADIOACTIVE MATERIALS LICENSE

PORTABLE GAUGE

INSTRUCTIONS: Complete all items in this application for new license or the renewal of an existing license. Use supplemental sheets where necessary. Item 23 must be completed on all applications. Prepare two copies of this application and all supplemental sheets. Mail the original to: Arizona Radiation Regulatory Agency, 4814 South 40th Street, Phoenix, Arizona 85040. Upon approval of this application, the applicant will receive an Arizona Radioactive Materials License.

1a. NAME AND MAILING ADDRESS OF APP (Institution, Firm, Individual Owner, etc.) Inclu	1b. STREET ADDRESS(S) AT WHICH RADIOACTIVE MATERIAL WILL BE USED (If different than 1a.) Include Zip Code				
2. PERSON TO CONTACT REGARDING TH	IIS APPLICATION:		TELEPHONE NO:		
3. THIS IS AN APPLICATION FOR: (Check a A. 'NEW LICENSE* B. 'AMENDMENT			C. ' RENEWAL OF I	LICENSE NO	
4a. INDIVIDUAL USERS (Name of individuals v	who will use of	4b. TRAIN	ING AND EXPERIENCE (Check one or more)	
directly supervise use of Radioactive Materia	1)	' App	roved certificates of training a	uttached	
			'Training previously filed under license #, or individuals will be trained using the training program described in this application _		
5a. RADIATION SAFETY OFFICER (RSO) (N	lame of person	5b. DUTIE	S OF RADIATION SAFET	Y OFFICER (Check one)	
designated as Radiation Safety Officer)	•				
		' Attachment A Duties Attached or			
		' Equivalent Duties attached			
6. RADIOACTIVE MATERIAL (Element and mass number of each) A.	BER OR REC F SEALED S	ACTURER AND CISTRY NUMBER FROM OURCES AND DEVICES	8. ACTIVITY OF EACH SOURCE A		
A	A			Α	
B	В		В		
C C				C	
o					
9. DEVICE AND USE DESCRIPTION (Make lettering correspond to lettering in items 6, 7 and 8 above)					
MANUFACTURER OR DEVICE	MODEL NO)	NO. OF DEVICES	USE	
A.	ODEL IN		1.0. 01 DE (100)		
В.					
C.					
10. TOTAL NUMBER OF DEVICES TO BE L	ICENSED:				

11.	MAINTENANCE WORK ON GAUGES (Check one)	15.	FACILITIES AND EQUIPMENT
ı	Applicant will contract with manufacturer or approved consultant for all gauge maintenance.	,	Facilities and storage diagram attached.
		16.	RADIATION PROTECTION PROGRAM (Check one)
			Attachment "B" procedures attached; or
1	Applicant will do maintenance:		Equivalent procedures attached.
	(Radiation detection instruments and personnel		LEAK TEST PROGRAM (Check one)
	monitoring required.		' Applicant will contract with approved outside
	Complete Items 12, 13, and 14).		consultant to do leak tests.
			Name:
	Approved consultant for above:		Address:
	Name:		
	Address:		License No.:
	License No.:		Applicant will do leak tests using approved leak test
			kit, mailing leak tests to kit ventor counting.
12	RADIATION DETECTION INSTRUMENTS		Manufacturer name:
12.	List Radiation Detection instruments possessed in this space.		Manufacturer address:
	Manufactuer Model No. Range		Managed address.
			Kit number:
			Kit humber.
			Will do own leak test including counting. Detailed
			procedures attached.
13	CALIBRATION OF SURVEY INSTRUMENTS		procedures attached.
13.	(Mandatory for all survey instruments possessed).	18	. WASTE DISPOSAL (Check one)
	(Check one)	10	' Nuclear Gauge(s) containing radioactive sealed
	(Check one)		sources will be returned to manufacturer upon
	No radiation detection instruments possessed.		disposal.
	Calibration will be done at intervals not to exceed		' Nuclear Gauge(s) containing radioactive sealed
	12 months and after each repair.		will be transferred to another Licensee upon
	12 months and after each repair.		disposal.
	(Check one)		Nuclear Gauge(s) containing radioactive sealed
	' Applicant will do own survey instrument calibrations.		sources will be transferred to a Licensed waste
	Calibration procedures attached; or		broker upon disposal.
	Calibration will be done by calibration service agency.		broker upon disposar.
	Canoration will be dolle by canoration service agency.	1.0	D. LICENSE FEE REQUIRED (See AAC R12-1-Article 13)
	Nama	15	a. LICENSE FEE REQUIRED (See AAC R12-1-Afficie 13) a. LICENSE FEE CATEGORY: Portable Gauge
	Name:		
	Address:		b. LICENSE FEE ENCLOSED: \$
	Liganga Na		(Fee not required for Renewal or Amendment) (an additional fee is assessed for each permanent
	License No		storage location).
1 /	PERSONNEL MONITORING		storage rocation).
14.	(Check one.)	2	A LETTER TO LOCAL COVERNING AUTHORITY
		2	0. LETTER TO LOCAL GOVERNING AUTHORITY
	None (Routine use of fixed gauges only).		(See AAC R12-1-309.5)
	Direct Reading dosimeter.	~	ALADA DDOCDAM
	Monthly Dosimetry exchange (Film Badges).	2	21. ALARA PROGRAM
	Quarterly Dosimetry exchange (TLD's).		' ALARA program will be initiated in
	Calibration will be done by calibration service agency.		accordance with R12-1-407.
	Neutron gamma dosimetry (Required for gauge maintenance)		
	Name and address of dosimetry supplier:		
	Name:		
	Address:		

ARRA-PG PAGE 2 of 19

ITEM 22 - CERTIFICATION (This item must be completed by applicant)				
THE APPLICANT AND ANY OFFICIAL EXECUTING THIS CERTIFICATION ON BEHALF OF THE APPLICANT NAMED IN ITEM 1, CERTIFY THAT THIS APPLICATION IS PREPARED IN CONFORMITY WITH ARIZONA ADMINISTRATIVE CODE, TITLE 12, CHAPTER 1, AND THAT ALL INFORMATION, INCLUDING ANY SUPPLEMENTS OR ATTACHMENTS, IS TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE AND BELIEF.				
	BY:			
(Type or print name of certifying official)		(Signature)		
	DATE:			
(Title of Certifying Official)				

ARRA-PG PAGE 3 of 19

ARIZONA RADIATION REGULATORY AGENCY

GUIDE FOR THE PREPARATION OF AN APPLICATION FOR LICENSES FOR INDUSTRIAL USE OF SMALL QUANTITIES OF RADIOACTIVE MATERIAL PORTABLE GAUGE/MEASURING DEVICE PROGRAMS

I. PURPOSE OF GUIDE

This guide is designed to describe the type and extent of information needed by the Agency to evaluate an application for a portable gauge license. Attachments A through F to this guide are provided to describe model duties and procedures. Each applicant should carefully read the applicable rules and model duties and procedures and then decide if the model duties and procedures are appropriate for the specific radiation safety needs. In the application, applicants may certify that they will follow the model procedure or develop their own procedure and enclose it for review.

II. FILING AN APPLICATION

An application for a license is made by completing Form ARRA-1PG. Most items may be completed on the form. If additional room is required, an additional sheet may be added. For any supplementary pages, identify and key each separate sheet or document submitted with the application to the item number on the application to which it refers.

All items should be completed in enough detail to allow the Agency to determine that the equipment, facilities, training and experience, and radiation safety program are adequate.

As all license applications are available for review by the general public, do not submit proprietary information or personal information about individual employees unless it is necessary. For example, the training and experience of individuals should be submitted to demonstrate their ability to manage radiation safety programs or to work safely with radioactive material. Home addresses and home telephone numbers should be submitted only if they are part of an emergency response plan. Dates of birth, social security numbers, and radiation dose information should be submitted only if specifically requested by the Agency. If submittal of proprietary information is necessary, the applicant may request that the information be handled and kept from public dissemination.

The application should be filed to the address shown in Section III of this guide. The applicant should retain a copy as the applicant will be required to possess and use licensed material in accordance with the statements and representations made in the application and any supplements to it.

III. CONTENTS OF AN APPLICATION

This portion of the guide explains, item by item, the information requested on Form ARRA-1PG. The attachments to this guide serve several different purposes, i.e., to provide additional information on certain subject areas, to provide a model procedure the licensee may adopt in response to an item on the application form, or to provide an outline the applicant may use to develop a procedure for review by the Agency staff.

New to this application is the information requested concerning corporate structure in Attachment G. Any questions concerning this new form can be answered by calling the Agency. If after careful review of this guide, applicants have specific questions, they should contact the Radioactive Materials Program at:

Page 5 of 19

Arizona Radiation Regulatory Agency Radioactive Materials Program 4814 South 40th Street Phoenix, Arizona 85040 (602) 255-4845 FAX (602) 437-0705

Item 1a. Name and Mailing Address of Applicant.

Enter the name, mailing address and telephone number of the applicant. Specify the applicant, corporation or other legal entity by name. Individuals should be identified as the applicant only if acting in a private capacity and the use of radioactive material is not connected with their employment for a corporation or other legal entity.

Item 1b. Street Address for Use of Radioactive Material.

List the addresses and locations where radioactive material will be used, including home and work sites where gauges will be stored for periods of time greater than 6 months, which is the delineation time-frame for a temporary job site defined in AAC R12-1-102. If multiple addresses are to be used, explain the extent of use at each address and the facilities and equipment located at each place of use. The actual locations of use should be listed, whether or not they are the same as the mailing address in Item l.A; e.g., a P.O. Box may be most suitable for Item l.A in some cases, but a P.O. Box does not adequately describe the location of use. Item l.B must be an in-state address.

Item 2. Person to Contact.

Enter the name and telephone number (including area code) of the individual to be contacted. This individual shall be familiar with the proposed radioactive materials program and be able to answer questions about the application and act on behalf of the applicant or licensee. This individual will serve as the point of contact during the review of the application and during the duration of the license.

Item 3. Type of Application.

Indicate whether this is an application for a new license, an amendment, or a renewal. If this application is for a new license, the appropriate license fee must accompany the application in order for the review process to begin (complete Item 19).

Item 4a. Individual Users.

A trained user must be present and directly supervise usage of radioactive material. It is not necessary to list the names of all users on the application, however, the radiation safety officer shall maintain a list of all users with their associated training documentation for Agency review. These records will be reviewed during routine Agency inspections.

Item 4b. Training and Experience.

Check all items which apply. User minimum qualification is the completion of the device manufacturer's training course. If the applicant desires to provide in-house training for their personnel, a detailed equivalent training program must be submitted and approved by the Agency.

Page 6 of 19

<u>Item 5a.</u> Radiation Safety Officer (RSO).

State the name and title of the person designated as the individual responsible for the coordination of the radiation safety program.

Item 5b. Duties of RSO.

Indicate by checking the appropriate box whether the model duties outlined in Attachment A are to be followed or whether an outline of equivalent duties is attached. If the model duties in Attachment A are to be followed, sign, date, and attach it to the application.

In Items 6 through 9, key each source and gauge/device with the same letter throughout.

<u>Item 6.</u> Radioactive Material.

List the element and mass number of each isotope in a given gauge or device, i.e., Cesium-137, Americium-241/Beryllium, etc.

<u>Item 7.</u> Source Manufacturer and Model Number/Registry Number.

List the manufacturer and either the model number of the source or the registry number of the device as contained in the Registry of Radioactive Sealed Sources and Devices for each source/device.

Item 8. Activity.

Give the activity of the source identified in Items 6 and 7 in either millicuries or microcuries as appropriate.

<u>Item 9.</u> Device and Use Description.

Provide the manufacturer's name and model number of each gauge or device utilizing the sources listed in Items 6, 7, and 8 above. Also, give the purpose for which the gauge or device will be used by checking the appropriate boxes.

Item 10. Number of Devices.

Enter the total number of gauges/devices to be licensed.

<u>Item 11.</u> Maintenance Work on Gauges.

Check the appropriate box for the method in which maintenance for all gauges/devices will be handled. If the applicant will perform maintenance on their gauges which involves the dismantling of the device and access to the area in which the source is stored or actual removal of the source, the following information must also be provided: (1) names of the individuals who will perform the maintenance; (2) copies of training certificates from the device manufacturer for each individual performing the maintenance indicating which model devices he is trained on; and (3) step-by-step gauge maintenance

Page 7 of 19

procedures and radiation safety precautions to be followed while performing the maintenance.

<u>Item 12.</u> Radiation Detection Instruments.

Radiation detection instruments are not normally required if the applicant plans only to use the gauges/devices for their intended use and does not plan to perform maintenance on them. If performing own maintenance as indicated in Item 11 above, then radiation detection instruments are required. At least one low-range beta-gamma (0-20 or 0-50 mR/hr) survey meter shall be available at each maintenance area for monitoring during and following the maintenance procedures.

<u>Item 13.</u> Calibration of Survey Instruments.

If survey instruments are not possessed by the applicant, then check the appropriate box. If survey instruments are possessed, then calibration of the instruments is required. Check the appropriate box for either annual or semiannual calibration and who will perform the calibration.

If the applicant intends to contract out the calibration of instruments, the name, address and license number of the calibration firm should be specified in the appropriate space provided.

If the applicant intends to perform the survey instrument calibration, attach copies of procedures describing the methods and radiation safety program to be followed for each type of survey meter used. (An adequate calibration of survey instruments cannot be performed with built-in sources.) Electronic calibrations that do not involve a source of radiation are not adequate to determine the proper functioning and response of all components of an instrument. The calibration should include a two-point calibration on each scale of each instrument with the two points separated by at least 50 percent of the maximum scale divisions. Survey instruments may be considered properly calibrated when the instrument readings are within +/- 10% of the calibrated or known values for the points checked.

The description of the calibration procedures should include as a minimum:

- A. The manufacturer and model number of each radiation source to be used,
- B. The nuclide and quantity of radioactive material contained in the source,
- C. The accuracy of the source(s). (The traceability of the source to a primary standard should be provided.),
- D. The step-by-step procedures for calibration, including associated radiation safety procedures, and
- E. The name(s) and pertinent experience of person(s) performing calibrations.

<u>Item 14.</u> Personnel Monitoring.

Initially, personnel using portable moisture/density gauges are required to wear personnel monitoring devices such as film badges or thermoluminescent dosimeters (TLD). Users of devices exhibiting low radiation levels at the surface of the device, such as X-Ray Fluorescence Analyzer or lead paint analyzers, are not usually required to wear personnel monitoring devices. If you are a portable gauge (Troxler, CPN, etc.) user, specify the film badge, TLD, or other NVLAP approved personnel monitoring device that will be utilized, the frequency it will be exchanged for reading, and the name and address of the

Page 8 of 19

supplier of the dosimetry service. Personnel monitoring shall be utilized for at least 12 to 18 months, at which time the personnel monitoring may be discontinued following the determination that monitored employees have not been exposed to 10% of the allowable exposure limit in R12-1-408 during the review period. A record to file shall be made or a letter sent to the Agency documenting the evidence used to make the determination and that management authorizes the discontinuance of personnel monitoring, as authorized in R12-1-419.

If the applicant will perform maintenance work on gauges/devices containing Americium-241/Beryllium, then beta-gamma-neutron dosimetry is required. If no maintenance work will be performed on the devices, then only beta-gamma dosimetry is required.

<u>Item 15.</u> Facilities and Equipment.

The applicant should provide a description of the gauge/device storage area for all use addresses when the gauge/device is not actually in use by a user listed in Item 4. Gauges/devices must be stored in such a manner as to ensure against unauthorized removal or use as required by AAC R12-1-426. A simple annotated sketch or sketches of the storage area or areas, closet(s), etc., showing the relationship to occupied areas should be submitted. If necessary, storage areas should be posted with a "Caution Radioactive Material" sign.

If gauges/devices are to be stored at temporary job sites away from the normal storage facilities, describe the procedures that will e used to ensure that the gauges/devices are stored against unauthorized removal or use as required by AAC R12-1-426. (See Attachment C)

Additionally, if gauges/devices are to be stored at home locations overnight, procedures shall be described on Attachment C. As a minimum, Attachment C must be signed and dated that home storage will not be used.

Item 16. Radiation Protection Program.

Each applicant shall established procedures to ensure compliance with the provisions of Articles 4 and 10 of the Arizona Administrative Code. If the model procedures and emergency procedures listed in Attachment B and E will be used, sign, date them and return with the application. If equivalent procedures will be followed, a copy of these should be attached. In either case, mark the appropriate box under Item 16.

It is not acceptable to chain a gauge in a vehicle when storing it overnight. Therefore, describe your procedures for storage on Attachment C. The Agency has determined the use of a lockable 16 gauge steel box, large enough to hold the DOT approved gauge case, will provide adequate security. Boxes may be purchased commercially or manufactured by yourself to meet your needs. Note that no labeling is required on this box.

Attachment F contains an example transportation document. Fill out this form and sign. Return it with the Attachment F procedure form, with the application. Provide an example of an acceptable equivalent form if the example form will not be used. Remember this transportation document shall be carried in the front seat and be of easy access to the driver when transporting the gauge. Do not store this document with the gauge during transport.

Page 9 of 19

<u>Item 17.</u> Leak Test Program

Indicate the frequency at which leak tests will be performed on devices. The frequency should be appropriate with the requirements set forth by the manufacturer.

Indicate the method by which the leak test program will be performed by checking the appropriate box under parts a.) and b.) of Item 17.

If the applicant will contract with an outside consultant to both perform and analyze the leak tests, give the name, address and license number of the outside consultants:

If the applicant will make use of an approved leak test kit and mail the kit back to the manufacturer for counting, list the kit manufacturer name, address and kit number on the application under Item 17. On Attachment D describe your leak test program as specified below.

- A. If the applicant uses survey instruments in their program, a signed statement indicating that leak test samples will be surveyed prior to mailing to ensure that radiation levels on the surface of the leak test package are less than 0.5 mR/hr and in compliance with postal regulations; or
- B. If the applicant has no survey instruments in their program, a signed statement indicating where the applicant will take leak test samples to survey them in order to be in compliance with the postal regulations listed in A above; or
- C. Hand delivered to appropriately licensed, leak test service for analysis.

If the applicant will perform both the leak test and analysis of the sample, provide a copy of detailed procedures to be followed in the performance of the tests. Included should be complete information on the instrument which will be used to count the sample, complete information on the radioactive source used to calibrate the instrument (to include accuracy), sample calculations indicating the method used to derive the final value for the leak test results, and the name(s) and pertinent experience of person(s) who will perform the analysis.

Item 18. Waste Disposal.

In the event the sealed source will no longer be needed, the applicant should specify the means of disposal. Sealed sources containing radioactive material may be returned to the manufacturer, transferred to another licensee authorized to possess the specific quantity and form being transferred, or transferred to a licensed waste disposal firm.

Item 19. License Fee.

If this is an application for a new license, enter the appropriate fee amount as found from Article 13 of the Arizona Administrative Code and attach the check to the front of the application.

Item 20. Letter to Local Governing Authority.

Attach a copy of the letter to the Mayor's office of the city or town in which the radioactive material will be stored, or, if not within an incorporated community, to the County Board of Supervisors, providing the information required in AAC R12-1-309. This should describe: (1) the nature of the proposed activity involving radioactive material, and (2) the facility, including use and storage areas.

Page 10 of 19

Item 21. ALARA Program.

ALARA is defined as "As Low As Reasonably Achievable". Checking the first box in Item 22 allows the applicant to develop a program "in-house" and maintain proof the Radiation Safety Program is reviewed annually. Checking the second box means the applicant is enclosing with the application for review by the Agency, a description of a proposed Radiation Safety Program that will be reviewed by the Radiation Safety Officer on an annual basis. The purpose of developing a program and reviewing it annually is to keep radiation exposure "as low as reasonably achievable".

Item 22. Certification.

Provide the typed or printed name, title and signature of the certifying official authorized by the corporation or other legal entity's management to represent the applicant, along with the date of the signature.

IV. AMENDMENTS TO LICENSES

Licensees are required to conduct their programs according to statements, representations, and procedures contained in the license application and supporting documents. The license must therefore be amended if the licensee plans to make changes in the facilities, equipment, procedures, authorized users or radiation safety officer, or radioactive material to be used.

Applications for license amendments may be filed on the application form or in letter form. The application should identify the license by license number. References to previously submitted information and documents should be clear and specific, and should identify the pertinent information by date, page and paragraph. Amendment applications should be signed and dated by a representative of the licensee's administrative management. An original and one copy of the application for amendment should be prepared, and the original copy should be submitted, as in the case for new or renewal applications.

<u>Retain one copy of the application, with all attachments</u>, because the license require, as a license condition, to follow the statements and representations in the application and any amendment. Mail the original to:

Arizona Radiation Regulatory Agency Radioactive Materials Program 4814 South 40th Street Phoenix, Arizona 85040 (602) 255-4845 (Ext. 233) FAX 437-0705

ATTACHMENT A

DUTIES OF THE RADIATION SAFETY OFFICER

- 1. To assure that radioactive materials possessed under the license conform to the materials listed on the license.
- 2. To assure that use of the devices, particularly in the field, is only by individuals authorized by the license.
- 3. To assure that all users wear personnel monitoring equipment, such as film badges, TLDS, or equivalent, when required.
- 4. To review all personnel monitoring reports, to alert the radiation worker in the event of a high or unusual exposure, to notify Arizona Radiation Regulatory Agency personnel as required of the high or unusual exposure, and to investigate all such unusual exposures and take any necessary corrective action to prevent other such high exposures.
- 5. To assure that gauges are properly secured against unauthorized removal at all times when the are not in use.
- 6. To serve as a point of contact and give assistance in case of emergency (gauge damage in field, fire, theft, etc.), and to assure that proper authorities, for example local police and state personnel, are notified promptly in case of accident or damage to gauges.
- 7. To assure that the terms and conditions of the license, such as periodic leak tests, are met and that the required records, such as personnel exposure records, leak test records, etc., are periodically reviewed. The radiation safety program shall be reviewed at least annually according to R12-1-407.

SIGNED	DATE

Page 12 of 19

ATTACHMENT B

MODEL RADIATION PROTECTION PROCEDURES

- 1. Only licensed operators shall use, or supervise the use of nuclear gauges. All users shall have completed an Agency approved training course.
- 2. All unauthorized persons shall be kept out of the operating area. A suggested distance is five meters or fifteen feet.
- 3. The licensee shall not open a source containing radioactive material.
- 4. No one shall be permitted to touch or handle directly the unshielded source.
- 5. The operator shall never unnecessarily be exposed to the unshielded source.
- 6. The nuclear gauge/device source shall be locked in the safe off, closed, or stored position when not in use.
- 7. Security of the nuclear gauge/device shall be maintained at all times. The gauge/device shall be returned to the carrying case when not in use. Nuclear gauges/devices shall never be left unattended, except when in storage in the licensed storage area or in a locked vehicle out of sight so as to minimize the attractive nuisance value.
- 8. Only licensed operators shall have or carry keys to the nuclear gauge/device or to their locked storage areas. Key control shall be maintained by the Radiation Safety Officer.
- 9. If the operator detects any malfunction in the shutter or other part of the nuclear gauge/device, the Radiation Safety Officer shall be immediately notified.
- 10. The licensed operators shall keep the Radiation Safety Officer informed of the location of the radioactive sources at all times. A utilization log shall be maintained at the primary storage location including, but not limited to, the following information: device manufacturer and model number, user, date of use, and location of use.
- 11. A physical inventory to account for all sealed sources received and possessed under the license shall be performed at intervals, not to exceed six months. The records of the inventory shall be maintained for 3 years from the date of the inventory. The information recorded shall include the kind and quantity of radioactive material, the model and serial number of the source or the device in which it is mounted, the location of sealed source, the date of the inventory and the name or initials of the individual performing the inventory.
 - If only one device is possessed, during periods of use, a utilization log may be maintained in lieu of the required six month inventory. During periods of non-use, the required inventory will be performed and documented.
- 12. Licensed operators and other persons working in the proximity of the nuclear gauges/devices when they are being transported or used shall wear appropriate personnel dosimeters, such as film badges or TLD's. Each worker shall be assigned an individual dosimeter. On no occasion shall a person wear a dosimeter assigned to another individual.

13.	When transporting the gauge/device to job sites, the gauge/device will be transported in the						
	manufacturer's carrying case, fully secured and "blocked and braced" within the transportation vehicle						
	and away from the passenger compartment. The gauge will be transported according to the procedures						
	described in the attachments to this application.						

The above radiation protection program will be implemented at all times. A copy of these procedures shall be maintained in the licensee's radioactive materials license file, and another carried to the field when nuclear gauge/device is in use.

SIGNED	DATE
DIGITED	DITTE

^{*} Secured means - locked in gauge manufacturer's transportation container, stored and locked in a 16 gauge metal box permanently fastened in the back of a pickup truck. Alternate procedure may be approved by the Agency. The procedure must be described in an Attachment to this application. The Attachment should be entitled "Security Methods Used While Transporting a Nuclear Gauge".

Page 14 of 19

ATTACHMENT C

DESCRIPTION OF GAUGE STORAGE INCLUDING HOMES AND MOTELS

(Check appropriate responses) YES NO I. " The licensee will use home storage (If no skip to III). II. " Gauges will be stored at home locations using the following suggested methodology. (Circle one) 1. Gauges will be locked in a metal box bolted to the bed of the vehicle. The box will be made of no less than 16 gauge steel. 2. Described on an attached sheet is the method that will be used to secure gauges stored at home locations. If a gauge is located at a home storage site for periods greater than six Note: months, the local governing body (Mayor) will be notified and Condition 10 of my license will be amended to include this permanent storage site. (See definition for temporary jobsite in Article 1) III. Operators of gauges traveling out-of-town will stay at motels and use the procedures described below. A "no" answer signifies users will have no occasion to store gauges away from the site authorized by the Agency. IV. Gauges will be secured at temporary job sites using the procedures described below. Procedure description: SIGNED _____ DATE ____

Page 15 of 19

ATTACHMENT D

ADDENDUM TO LEAK TEST PROGRAM

	(Check One)		
	YES	NO	
A.	и	И	The leak test samples will be surveyed prior to mailing to ensure that radiation levels on the surface of the leak test package are less than 0.5 mR/hr and in compliance with postal regulations.
B.	и	и	If the applicant has no survey instruments in their program, the leak test samples will be taken to a facility possessing a calibrated survey instrument for survey to meet the postal regulation listed in A. above.
C.	и	и	Hand delivered to a local, appropriately licensed, leak test service for analysis.
SIG	NED		DATE

Page 16 of 19

ATTACHMENT E

MODEL EMERGENCY PROCEDURES

I.		If an emergency occurs involving a loss or theft of a nuclear gauge or device, the operator should follow the procedures specified in Item II(C) below.				
II.			ency occurs involving fire, explosion or vehicle accident, the operator shall follow the occified in Items A through D below.			
	A.	AWA	URE THE AREA AROUND THE ACCIDENT. KEEP UNAUTHORIZED PERSONS AY. ALERT PEOPLE IN THE VICINITY OF THE PRESENCE OF RADIOACTIVITY A POSSIBLE HAZARD.			
	В.	DO N	NOT LEAVE THE SITE. Send a helper or onlooker to notify the following:			
		1.	Radiation Safety Officer:			
			Work: Home:			
		2.	LocalPolice:			
		3.	Local Fire Department when applicable:			
	C.	imme Depa	by the Radiation Safety Officer immediately. The Radiation Safety Officer must in turn ediately notify the Arizona Radiation Regulatory Agency at (602) 255-4845 or the retirement of Public Safety at (602) 223-2212 after normal business hours and other local prices as appropriate in accordance with R12-1-445.			
	D.	keep	operator should inform emergency workers of the possible radiation hazard, and should help the area secure. In no case should the operator leave the site until qualified experts arrive injured or incapacitated, and must be removed from the site for medical care.			

DATE

SIGNED____

ATTACHMENT F

MODEL TRANSPORTATION INFORMATION

SHIPPING PAPER

10:							
ADDRESS:							
FROM:							
ADDRESS: IF BEING SHIPPED AND RETURNED TO PLACE OF ORIGIN CHECK HERE:							
DEVICE	MODEL	QUANTITY	ISOTOPE	ACTIVITY			
PACKAGED, MARI	KED, LABELED ANI	/E-NAMED MATERIAL D ARE IN PROPER CON S OF THE STATE OF A	DITION FOR TRANS	CLASSIFIED, DESCRIBED, PORTATION ACCORDING			
SIGNED:	BEE REGUETITOT		.KLZ0171111D 0.5. I	5.0.1.			
TITLE:							
DATE:							
IN CASE OF EME	RGENCY, CONTA	CT ANY OF THE FOL	LOWING:				
RADIATION SAFE	ETY OFFICER:						
COMPANY MAIN	OFFICE:						
ARIZONA RADIA	TION REGULATOR	Y AGENCY: (602) 255-	-4845				
AFTER NORMAL	BUSINESS HOUR	S: (602) 223-2212					
	on shall be available is rendered unconsciou		ransporting a nuclear	gauge. In case of emergency			
A private carrier d	oes not need to sign	below.					
SIGNED BY:							
(Sign below if yo	ou agree to use thi	s form)					
SIGNATUR	E		DATE				

ATTACHMENT F

TRANSPORTATION PROCEDURES

(Check appropriate responses) YES NO Gauges will be transported in the manufacturer's transport case secured to A. the bed of a pickup truck with a lock and chain (describe in detail below) Gauges will be transported in the trunk of an automobile B. C. Gauges will be transported in the manufacturer's transport case in a 16 gauge steel box bolted to the floor/bed of the transport vehicle. Gauges will be transported using the procedure described below D.. D.. The licensee agrees to use the transport document that is part of Attachment F. If no, a copy of the form used is attached. Procedure used (to include how it will be blocked and braced): SIGNED DATE

ATTACHMENT G

Legal Structure of the Applicant

_					
8.	LEGAL STRUCTURE O	F APPLICANT			
	An Individual	A Partnership	A Limited Liability Corporation	A Corporation	
	An Unincorporated Asso	ciation Ci	ty/County/State Government		
	Partnership lease provide the name a	and address of each individu	al or legal entity owning a partnership	interest in the applicant.	
Ρ	lease state the percentag	ge ownership of the applican	t partnership held by each of the indiv	iduals or legal entities listed above.	
Αl	imited Liability Corporati	on			
N	Memberships		Ownerships		
	Corporation FOCK OF APPLICANT C	ORPORATION			
# <i>F</i>	AUTHORIZED SHARES	# ISSUED SHARES	# SUBSCRIBED SHARES	TOTAL STOCKHOLDERS	TOTAL SUBSCRIBERS
Is the applicant corporation directly or indirectly controlled by another corporation or other legal entity? If "yes" give name and address of other corporation or legal entity and describe how such control exists and the extent of control.					
	r all entities, please ident applicant.	ify the State, District, or Terr	itory under the laws of which the appli	cant is organized. Include the name ar	nd address of any Arizona agent for
9.	 The applicant or any official executing this application on behalf of the applicant certifies that this application has been prepared in accordance with Arizona Administrative Code, Title 12, Chapter 1, and all information contained on this form, including any supplements and attachments, is true and correct to the best of his or her knowledge and belief. 				
	DATE	APPLICANT (ITEM 1)	ВУ	тіт	LE